according to Regulation (EC) No 1907/2006

# **ADDINOL Creep Oil Spray**

Revision date: 19.06.2019 Product code: 77301630 Page 1 of 10

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

ADDINOL Creep Oil Spray

UFI: 4RR0-KSAN-N572-499U

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Aerosol - Lubricant, lubrifiants and release products

#### 1.3. Details of the supplier of the safety data sheet

Manufacturer

Company name: ADDINOL Lube Oil GmbH

Gebäude 4609

Street: Am Haupttor Place: D-06237 Leuna

Telephone: +49 (0) 3461 845-0 Telefax: +49 (0) 3461 845-555

e-mail: info@addinol.de
Contact person: Application Technology
Internet: www.addinol.de

Responsible Department: ADDINOL Application Technology

**Supplier** 

Company name: Specialised Products (Western) Limited
Street: 76 Cobham Road, Ferndown Industrial Estate,

Place: GB-BH21 7RN Wimborne, Dorset

Telephone: +44 1202 891393 Telefax: +44 1202 876908

e-mail: sales@specialisedproducts.co.uk
Internet: http://specialisedproducts.co.uk

**1.4. Emergency telephone** +44 1202 891393 - This number is serviced during office hours.

number:

# **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

# Regulation (EC) No. 1272/2008

Hazard categories: Aerosol: Aerosol 1

Aspiration hazard: Asp. Tox. 1

Hazard Statements:

Extremely flammable aerosol.

Pressurised container: May burst if heated. May be fatal if swallowed and enters airways.

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

## 2.2. Label elements

Regulation (EC) No. 1272/2008

Signal word: Danger

Pictograms:



according to Regulation (EC) No 1907/2006

# **ADDINOL Creep Oil Spray**

Revision date: 19.06.2019 Product code: 77301630 Page 2 of 10

#### **Hazard statements**

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

# **Precautionary statements**

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. P501 Dispose of contents/container to an appropriate recycling or disposal facility.

# Special labelling of certain mixtures

EUH208 Contains Kohlenwasserstoffe C9 Aromaten. May produce an allergic reaction.

## Additional advice on labelling

The product is classified and labelled according to EC directives or corresponding national laws.

## 2.3. Other hazards

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

# **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

## Hazardous components

| CAS No      | Chemical name                                   |                                     |                  |           |  |  |
|-------------|---|-------------------------------------|------------------|-----------|--|--|
|             | EC No   | Index No                            | REACH No         |           |  |  |
|             | GHS Classification                              | •                                   | •                |           |  |  |
|             | Hydrocarbons, C15-C20, n-alkanes                | , isoalkanes, cyclics, < 0.03% arom | atics            | <45 %     |  |  |
|             | 934-956-3                                       |                                     | 01-2119827000-58 |           |  |  |
|             | Asp. Tox. 1; H304                               | •                                   | •                |           |  |  |
| 106-97-8    | butane  |                                     |                  | 25 - 30 % |  |  |
|             | 203-448-7                                       |                                     | 01-2119474691-32 |           |  |  |
|             | Flam. Gas 1, Liquefied gas; H220 H              | ·                                   |                  |           |  |  |
| 74-98-6     | propane   |                                     | 10 - 15 %        |           |  |  |
|             | 200-827-9                                       |                                     | 01-2119486944-21 |           |  |  |
|             | Flam. Gas 1, Liquefied gas; H220 H              |                                     |                  |           |  |  |
| 246538-76-1 | Hydrocarbons, C11-C12, isoalkane                |                                     | <12,5 %          |           |  |  |
|             | 918-167-1                                       |                                     | 01-2119472146-39 |           |  |  |
|             | Flam. Liq. 3, Asp. Tox. 1, Aquatic C            | 3                                   |                  |           |  |  |
|             | Hydrocarbons C9 aromatics                       |                                     | <0,5 %           |           |  |  |
|             | 918-668-5                                       |                                     | 01-2119455851-35 |           |  |  |
|             | Flam. Liq. 3, STOT SE 3, STOT SE<br>H411 EUH066 | H226 H335 H336 H304                 |                  |           |  |  |

Full text of H and EUH statements: see section 16.

#### **Further Information**

DMSO-Extrakt < 3 %, IP 346.

Classification system: The classification corresponds to the current EC lists and is completed by information from specialist literature and company information.

according to Regulation (EC) No 1907/2006

# **ADDINOL Creep Oil Spray**

Revision date: 19.06.2019 Product code: 77301630 Page 3 of 10

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### General information

Remove affected person from the danger area and lay down. Position and transport victim on their side. In case of respiratory distress, bring into semi-upright, seated position. Self-protection of the first aider. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

#### After inhalation

Move victim to fresh air. Put victim at rest and keep warm. Seek medical attention if problems persist. In case of breathing difficulties administer oxygen.

## After contact with skin

After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, seek medical treatment

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

#### After ingestion

Do NOT induce vomiting.

Rinse mouth thoroughly with water. Call a physician immediately.

## 4.2. Most important symptoms and effects, both acute and delayed

following inhalation: drowsiness. Headache. Nausea.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

## Suitable extinguishing media

Carbon dioxide (CO2). Dry extinguishing powder. alcohol resistant foam.

## Unsuitable extinguishing media

High power water jet.

#### 5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon dioxide (CO2). Carbon monoxide Nitrogen oxides (NOx). carbon black.

Vapours may form explosive mixtures with air.

## 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Wear chemical resistant suit.

#### **Additional information**

Co-ordinate fire-fighting measures to the fire surroundings. Use water spray/stream to protect personnel and to cool endangered containers. In case of fire and/or explosion do not breathe fumes. Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

# **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Remove persons to safety. Wear a self-contained breathing apparatus and chemical resistant suit. Vapours are heavier than air and will spread at floor level. Avoid contact with skin and eyes. Keep away from sources of ignition - No smoking.

## 6.2. Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or

according to Regulation (EC) No 1907/2006

# **ADDINOL Creep Oil Spray**

Revision date: 19.06.2019 Product code: 77301630 Page 4 of 10

drains, inform the responsible authorities. Prevent spread over a wide area (e.g. by containment or oil barriers).

## 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Collect in closed containers for disposal. Clean contaminated articles and floor according to the environmental legislation.

#### 6.4. Reference to other sections

Refer to the provisions listed in Sections 8, 12 and 13.

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

## Advice on safe handling

Use only in well-ventilated areas. Take precautionary measures against static discharges. Do not spray on naked flames or any incandescent material. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Avoid contact with skin, eye and clothing.

#### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use. Heating causes rise in pressure with risk of bursting.

## 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity. Keep container tightly closed in a cool place. Keep away from sources of ignition - No smoking.

Please note: TRG 300, aerosol directive (75/324/EEC).

## Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

Keep away from: Oxidizing agents. Material, rich in oxygen, oxidizing.

## Further information on storage conditions

Recommended storage temperature: 5 - 40°C. Do not store at temperatures over: 50°C.

#### 7.3. Specific end use(s)

Further information: see technical data sheet.

# **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

## **Exposure limits (EH40)**

| CAS No   | Substance | ppm | mg/m³ | fibres/ml | Category      | Origin |
|----------|-----------|-----|-------|-----------|---------------|--------|
| 106-97-8 | Butane    | 600 | 1450  |           | TWA (8 h)     | WEL    |
|          |           | 750 | 1810  |           | STEL (15 min) | WEL    |

#### Additional advice on limit values

source:

## 8.2. Exposure controls

according to Regulation (EC) No 1907/2006

# **ADDINOL Creep Oil Spray**

Revision date: 19.06.2019 Product code: 77301630 Page 5 of 10





## Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

## Protective and hygiene measures

Wash hands before breaks and after work. Take off immediately all contaminated clothing. Wash contaminated clothing prior to re-use. Do not eat, drink, smoke or sneeze at the workplace.

#### Eye/face protection

Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): DIN EN 166

#### Hand protection

Tested protective gloves are to be worn: German Industry Norms (DIN) / European Norms (EN): DIN EN 374

Duration of wearing with permanent contact: 480 min

Suitable material: NBR (Nitrile rubber). Thickness of glove material: 0.7 mm.

Wearing time with occasional contact (splashes): 30 min

Suitable material: NBR (Nitrile rubber). Thickness of glove material: 0.4 mm

Protect skin by using skin protective cream.

## Skin protection

Wear suitable protective clothing. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

# Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Breathing protection with filter against organic gases and vapours type A - boiling point > 65°C: A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm

## **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state: gaseous
Colour: light yellow
Odour: like: lemon.

Test method

pH-Value: No data available

Changes in the physical state

Melting point: not applicable
Initial boiling point and boiling range: < -20 °C

Flash point: < -20 °C DIN EN ISO 2592

**Flammability** 

Solid: not applicable
Gas: not applicable

## **Explosive properties**

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

Lower explosion limits: 0,5 vol. %

according to Regulation (EC) No 1907/2006

# **ADDINOL Creep Oil Spray**

Revision date: 19.06.2019 Product code: 77301630 Page 6 of 10

Upper explosion limits: 15 vol. %

Ignition temperature: >200 °C DIN 51794

**Auto-ignition temperature** 

Solid: not applicable
Gas: not applicable

Decomposition temperature: not determined

**Oxidizing properties** 

No data available

Vapour pressure: not determined

Density (at 20 °C): 0,682 g/cm³ DIN 51757

Water solubility: insoluble

(at 20 °C)

Solubility in other solvents

No data available

Partition coefficient:

Viscosity / kinematic:

vapour density:

No data available

Evaporation rate:

No data available

9.2. Other information

No data available

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

The product is stable under storage at normal ambient temperatures.

## 10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

## 10.3. Possibility of hazardous reactions

Ignition hazard.

Vapours may form explosive mixtures with air.

## 10.4. Conditions to avoid

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use. Do not spray on a naked flame or any incandescent material. Keep away from sources of ignition - No smoking. Keep out of the reach of children. Take precautionary measures against static discharges. See protective measures under point 7 and 8.

## 10.5. Incompatible materials

Keep away from: Oxidizing agents. Material, rich in oxygen, oxidizing.

## 10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon dioxide (CO2). Carbon monoxide Nitrogen oxides (NOx). carbon black.

Vapours may form explosive mixtures with air.

## **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

# **Acute toxicity**

Based on available data, the classification criteria are not met.

Mixture not tested.

according to Regulation (EC) No 1907/2006

# **ADDINOL Creep Oil Spray**

Revision date: 19.06.2019 Product code: 77301630

Page 7 of 10

| CAS No   | Chemical name           |         |         |         |        |        |
|----------|-------------------------|---------|---------|---------|--------|--------|
|          | Exposure route          | Dose    |         | Species | Source | Method |
| 106-97-8 | butane                  |         |         |         |        |        |
|          | inhalation (4 h) vapour | LC50 65 | 58 mg/l | Rat     |        |        |

## Irritation and corrosivity

Based on available data, the classification criteria are not met.

## Sensitising effects

Contains Kohlenwasserstoffe C9 Aromaten. May produce an allergic reaction.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

## STOT-repeated exposure

Based on available data, the classification criteria are not met.

Prolonged/repetitive skin contact may cause skin defattening or dermatitis.

#### **Aspiration hazard**

May be fatal if swallowed and enters airways.

## Specific effects in experiment on an animal

following inhalation: drowsiness. Headache. Nausea.

# **Practical experience**

# Observations relevant to classification

If handled with proper care and at intended use, the product does not cause any harmful effects acc. to our experiences and available information.

## **Further information**

If handled with proper care and at intended use, the product does not cause any harmful effects acc. to our experiences and available information.

# **SECTION 12: Ecological information**

## 12.1. Toxicity

No data available

## Mixture not tested.

| CAS No   | Chemical name        |               |       |           |                            |        |        |
|----------|----------------------|---------------|-------|-----------|----------------------------|--------|--------|
|          | Aquatic toxicity     | Dose          |       | [h]   [d] | Species                    | Source | Method |
| 106-97-8 | butane               |               |       |           |                            |        |        |
|          | Acute fish toxicity  | LC50<br>mg/l  | 27,98 | 1         | Fish, no other information | ECHA   |        |
|          | Acute algae toxicity | ErC50<br>mg/l | 7,71  | 96 h      | Green algea                | ECHA   |        |
| 74-98-6  | propane              |               |       |           |                            |        |        |
|          | Acute fish toxicity  | LC50<br>mg/l  | 27,98 | 1         | Fish, no other information | ECHA   |        |
|          | Acute algae toxicity | ErC50<br>mg/l | 7,71  | 96 h      | Green algea                | ECHA   |        |

# 12.2. Persistence and degradability

Not easily bio-degradable (according to OECD-criteria). Do not allow to enter into surface water or drains.

# 12.3. Bioaccumulative potential

according to Regulation (EC) No 1907/2006

# ADDINOL Creep Oil Spray Revision date: 19.06.2019 Product code: 77301630 Page 8 of 10

No data available

#### Partition coefficient n-octanol/water

| CAS No   | Chemical name | Log Pow |
|----------|---------------|---------|
| 106-97-8 | butane        | 2,89    |
| 74-98-6  | propane       | 2,36    |

## 12.4. Mobility in soil

Product is easily volatile. Product is difficult to dissolve in water.

# 12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

#### 12.6. Other adverse effects

No data available

# **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

## **Disposal recommendations**

Do not open container by force. Must not be disposed of with domestic refuse. Do not allow to enter into surface water or drains.

## List of Wastes Code - residues/unused products

160504

WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing hazardous substances; hazardous waste

Contaminated packaging

Dispose of waste according to applicable legislation.

# **SECTION 14: Transport information**

## Land transport (ADR/RID)

**14.1. UN number:** UN 1950 **14.2. UN proper shipping name:** AEROSOLS

14.3. Transport hazard class(es):214.4. Packing group:-Hazard label:2.1



Classification code: 5F

Special Provisions: 190 327 344 625

Limited quantity: 1 L
Excepted quantity: E0
Transport category: 2
Tunnel restriction code: D

Inland waterways transport (ADN)

14.1. UN number:UN 195014.2. UN proper shipping name:AEROSOLS

14.3. Transport hazard class(es):214.4. Packing group:-Hazard label:2.1

according to Regulation (EC) No 1907/2006

# **ADDINOL Creep Oil Spray**

Revision date: 19.06.2019 Product code: 77301630 Page 9 of 10



Classification code: 5F

Special Provisions: 190 327 344 625

Limited quantity: 1 L
Excepted quantity: E0

Marine transport (IMDG)

14.1. UN number:UN 195014.2. UN proper shipping name:AEROSOLS

 14.3. Transport hazard class(es):
 2.1

 14.4. Packing group:

 Hazard label:
 2.1



Marine pollutant: no

Special Provisions: 63, 190, 277, 327, 344, 381, 959

Limited quantity: 1L
Excepted quantity: E0
EmS: F-D, S-U

Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number:** UN 1950

14.2. UN proper shipping name: AEROSOLS, flammable

14.3. Transport hazard class(es):2.114.4. Packing group:-Hazard label:2.1



Special Provisions: A145 A167 A802

Limited quantity Passenger: 30 kg G Passenger LQ: Y203 Excepted quantity: E0

IATA-packing instructions - Passenger:203IATA-max. quantity - Passenger:75 kgIATA-packing instructions - Cargo:203IATA-max. quantity - Cargo:150 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

# 14.6. Special precautions for user

Warning: flammable gases.

# 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

according to Regulation (EC) No 1907/2006

# **ADDINOL Creep Oil Spray**

Revision date: 19.06.2019 Product code: 77301630 Page 10 of 10

## **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 28: butane

2010/75/EU (VOC): 55,946% (381,549 g/L)
2004/42/EC (VOC): 99,703 % (679,973 g/L)
Information according to 2012/18/EU P3a FLAMMABLE AEROSOLS

(SEVESO III):

**Additional information** 

To follow: 850/2004/EC, 1107/2009/EC, 649/2012/EC Aerosolrichtlinie (75/324/EWG)

## **National regulatory information**

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe employment restrictions for women of

child-bearing age.

Water hazard class (D): 1 - slightly hazardous to water

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 2,8,9,10,11,12,15,16.

## Relevant H and EUH statements (number and full text)

| H220 | Extremely flammable gas.                            |
|------|---|
| H222 | Extremely flammable aerosol.                        |
| H226 | Flammable liquid and vapour.                        |
| H229 | Pressurised container: May burst if heated.         |
| H280 | Contains gas under pressure; may explode if heated. |
| H304 | May be fatal if swallowed and enters airways.       |
| H335 | May cause respiratory irritation.                   |
| H336 | May cause drowsiness or dizziness                   |

H336 May cause drowsiness or dizziness.
 H411 Toxic to aquatic life with long lasting effects.
 H413 May cause long lasting harmful effects to aquatic life.

EUH066 Repeated exposure may cause skin dryness or cracking.
EUH208 Contains Kohlenwasserstoffe C9 Aromaten. May produce an allergic reaction.

## **Further Information**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

These given data only refer to the named product. If the product is used together with other materials or in manufacturing processes the data might not be applicable any more. The data are based on today's state of our knowledge and experience. They are, however, no guarantee of any specific product properties and do not established any legally valid contractual relationship.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)