


Small 3-D prism laser with 1 green horizontal line all round and 2 vertical lines all round (= plumb line above and below + 4 angles of 90°). Pendulum leveling accurate to 2 mm/10 m and a range of 40m with receiver (optional). Li-Ion battery with AC adapter/charger.

Main specifications

Visibility	
Precision	2mm / 10m
Range (with receiver)	2x 40m
Dust- and water resistance	IP54
Batteries	LI-ION
AC power connector	USB-C
Levelling	Pendulum levelling

Power supply and batteries

Batteries	LI-ION
AC power connector	✓
Charger integrated into AC power connector	✓

DxWxH device	83 x 100 x 100 mm
Weight of device	0,39 kg
DxWxH box	202 x 252 x 195 mm
Weight box	1,34 kg

Detailed specifications

Plumb bob	✓
Number of laser dots per line	0
Number of 90° angles	4
Rotations per minute	Not applicable
Scan function	✗
Wind function	✗
Tilt function	✗
Self-levelling range	±3°
Slope function	Manual
Maximum settable slope (X-axis/Y-axis)	+/- 45°
Remote control	✗
Built-in screw for tripod	1/4"
Pendulum lock (for manual slopes)	✓
Transport security for the pendulum	✓
Number of laser diodes	3
Laser frequency (in receiver mode)	10KHz
Laser class	Class 2 - 515NM - <1mW
Color of the laser beams	Green
Number of horizontal lines	4
Number of vertical lines	4
Dust and water tightness	IP54


IN THE BOX



027.3DG



H028.POU



180.20



180.40



130.15



H60028



H60033

PACKAGES

Multicross 3D Brave SET (027.3DG-S)



027.3DG

Multicross 3D
Brave



H027.TUR

Turntable for
MC3D Brave



092.160

Tripod Light
Duty 160cm -
Tilting head -
1/4



H027.POS

Pouch for
027.3DG-S

ACCESSORIES

Tripods



090.300

Tripod Medium Duty
300cm - 5/8"



092.160

Tripod Light Duty 160cm
- Tilting head - 1/4



092.180

Tripod Light Duty 180cm
- 5/8



092.240

Tripod Light Duty 240cm
- Tilting head - 1/4 & 5/8



115.11

Slope adapter 5/8



120.330

Telescopic Tripod 330cm
- 5/8



130.01

Tripod adapter 1/4"



H027.TUR

Turntable for MC3D
Brave

Receivers



150.12.LT
Line Tracer Red/Green



150.40.A
Quattro



150.40.M
Quattro MM

Wall mounts



130.08
Wall mount with clamp
and magnet 1/4"



130.09
Wallclamp with 3D head
1/4"



130.12
Small wall mount with
magnet 1/4"



130.15
Wall mount with magnet
1/4"



130.16
Wall mount with clamp
and magnet 1/4"

Adapters, chargers and batteries



H60028
Li-Ion Battery 7.4V
2600mAh



H60033
Charger + USB-C cable


Other



180.20
Magnetic target plate
green



180.40
Laser Glasses Green



180.50
Target sticker yellow