


Precision: 1,5mm / 10m - Range (with receiver): 2x 250m - Dust- and water resistance: IP55 - Battery: LI-ION 7.4V - 2x 4000mAh - Levelling: Motor levelling

Main specifications

Visibility	
Precision	1,5mm / 10m
Range (with receiver)	2x 250m
Dust- and water resistance	IP55
Batteries	LI-ION 7.4V - 2x 4000mAh
AC power connector	✓
Levelling	Motor levelling

Power supply and batteries

Batteries	LI-ION
AC power connector	✓
Charger integrated into AC power connector	✓

DxWxH device	155 x 125 x 209 mm
Weight of device	1,38 kg
DxWxH box	210 x 890 x 475 mm
Weight box	13.3

Detailed specifications

Plumb bob	✓
Number of laser dots per line	Not applicable
Number of 90° angles	4
Rotations per minute	0, 120, 300, 600 RPM
Scan function	0°, 10°, 45°, 90°, 180°
Wind function	✗
Tilt function	✓
Self-levelling range	±5°
Slope function	Manually + Electronic
Maximum settable slope (X-axis/Y-axis)	±10%
Remote control	Infrared
Built-in screw for tripod	5/8"
Pendulum lock (for manual slopes)	Not applicable
Transport security for the pendulum	Not applicable
Number of laser diodes	2
Laser frequency (in receiver mode)	Not applicable
Laser class	Class 2 - 515NM - <1mW (Downpoint 650NM)
Color of the laser beams	Green
Number of horizontal lines	Not applicable
Number of vertical lines	Not applicable
Dust and water tightness	IP55

IN THE BOX



062.03G.CS



H052.CAS



180.20



180.40



H062.CHR



H7002



100.136



140.230

PACKAGES

Spinner Green Caseset with Gyro Receiver (062.03G.IE.CS)



062.03G.CS

Spinner Green
Caseset



150.20.GS

Gyro Receiver



150.40.M

Quattro MM

ACCESSORIES

Tripods



090.300

Tripod Medium Duty
300cm - 5/8"



100.165

Tripod Aluminium 165cm
- 5/8"



110.330

Tripod Heavy Duty
330cm - 5/8"



110.400

Tripod Heavy Duty
400cm - 5/8"



115.11

Slope adapter 5/8

Receivers



150.40.A
Quattro



150.40.M
Quattro MM



150.50.G
Bull Green



152.50G
Para Receiver MM Green

Leveling staffs



140.240.SK
Laser Measuring Rod
with quick lock 240cm



140.300
Telescopic Leveling Staff
300cm



140.350.SK
Laser Measuring Rod
with quick lock 350cm



140.400
Telescopic Leveling Staff
400cm



140.500
Telescopic Leveling Staff
500cm

Wall mounts



130.03
Wall mount Precision
5/8"



130.04
Wall mount Heavy Duty
5/8"

Adapters, chargers and batteries



H062.CHR
Charger (Spinner)

Other




180.20

**Magnetic target plate
green**



180.40

Laser Glasses Green



180.50

Target sticker yellow



H7002

**Remote Control for
Spinner**