## **Epoxy Stick Metal**

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name Epoxy Stick Metal

Container size 50g, 114g

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Two-component, epoxy-based adhesive.

## 1.3. Details of the supplier of the safety data sheet

**Supplier** Zettex Europe BV

Plaza 20, 4782 SK Moerdijk

The Netherlands +31(0)888-938839 info@zettex.nl www.zettex.nl

## 1.4. Emergency telephone number

**Emergency telephone** Zettex Europe BV 031 (0) 888 938 839 (Mon-Fri 09:00-17:00)

#### SECTION 2: Hazards identification

## 2.1. Classification of the substance or mixture

## Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317

**Environmental hazards** Aquatic Chronic 3 - H412

### 2.2. Label elements

#### **Pictogram**



Signal word Warning

**Hazard statements** H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

## **Epoxy Stick Metal**

**Precautionary statements** P261 Avoid breathing dust.

P264 Wash contaminated skin thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.
P321 Specific treatment (see medical advice on this label).
P332+P313 If skin irritation occurs: Get medical advice/ attention.
P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.
P337+P313 If eye irritation persists: Get medical advice/ attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
P501 Dispose of contents/ container in accordance with national regulations.

P102 Keep out of reach of children.

Contains reaction product: bisphenol-A-(epichlorhydrin)

## 2.3. Other hazards

## SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

Talc (Mg3H2(SiO3)4) 30-60%

CAS number: 14807-96-6

**Classification**Not Classified

# reaction product: bisphenol-A-(epichlorhydrin)

10-30%

CAS number: 25068-38-6 EC number: 500-033-5

#### Classification

Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 Aquatic Chronic 2 - H411

The full text for all hazard statements is displayed in Section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

**Inhalation** Remove person to fresh air and keep comfortable for breathing. For breathing difficulties,

oxygen may be necessary.

**Ingestion** Rinse mouth thoroughly with water. Do not induce vomiting. Avoid vomiting and stomach

flushing because of the risk of aspiration.

Skin contact Wash skin thoroughly with soap and water. Remove contaminated clothing. Continue to rinse

for at least 10 minutes. Get medical attention.

Eye contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide

apart. Continue to rinse for at least 10 minutes. Get medical attention.

## 4.2. Most important symptoms and effects, both acute and delayed

## **Epoxy Stick Metal**

**Ingestion** Irritating to mouth, throat and stomach

**Skin contact** Causes skin irritation. May cause an allergic skin reaction. Redness.

**Eye contact** Causes eye irritation. Pain or irritation. Profuse watering of the eyes. Redness.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically.

#### SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media Use fire-extinguishing media suitable for the surrounding fire.

Unsuitable extinguishing

media

None known.

## 5.2. Special hazards arising from the substance or mixture

Hazardous combustion

products

Thermal decomposition or combustion products may include the following substances:

Carbon dioxide (CO2). Carbon monoxide (CO). Oxides of sulphur. Halogenated

hydrocarbons. Metal oxide(s).

### 5.3. Advice for firefighters

Special protective equipment for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

clothing.

#### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions 
No action shall be taken without appropriate training or involving any personal risk. Evacuate

area. Keep unnecessary and unprotected personnel away from the spillage. Provide adequate

ventilation.

## 6.2. Environmental precautions

Environmental precautions Inform the relevant authorities if environmental pollution occurs (sewers, waterways, soil or

air). Avoid discharge into drains or watercourses or onto the ground.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up Avoid generation and spreading of dust. Collect and place in suitable waste disposal

containers and seal securely.

#### 6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13.

#### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

**Usage precautions**Wear protective clothing as described in Section 8 of this safety data sheet. Do not get in

eyes, on skin, or on clothing. Avoid release to the environment.

Advice on general occupational hygiene

Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet. Wash contaminated clothing before reuse.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store at temperatures not exceeding 35°C. Store in tightly-closed, original container in a dry,

cool and well-ventilated place. Protect from sunlight.

### 7.3. Specific end use(s)

## **Epoxy Stick Metal**

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

#### **SECTION 8: Exposure Controls/personal protection**

#### 8.1. Control parameters

### Occupational exposure limits

Talc (Mg3H2(SiO3)4)

Long-term exposure limit (8-hour TWA): WEL 1 mg/m³ respirable dust

WEL = Workplace Exposure Limit

8.2. Exposure controls

Appropriate engineering

Good general ventilation should be adequate to control worker exposure to airborne

contaminants.

**Eye/face protection** Wear eye protection.

**Hand protection** To protect hands from chemicals, gloves should comply with European Standard EN374.

Other skin and body

protection

controls

Wear apron or protective clothing in case of contact.

Hygiene measures Wash hands thoroughly after handling. Wash at the end of each work shift and before eating,

smoking and using the toilet. Take off immediately all contaminated clothing.

Respiratory protection Respirator selection must be based on exposure levels, the hazards of the product and the

safe working limits of the selected respirator.

## **SECTION 9: Physical and Chemical Properties**

### 9.1. Information on basic physical and chemical properties

Appearance Solid.

Colour Grey. Black. Dark.

Odour Sulphur. Pungent. Strong.

Odour threshold Not available.

**pH** Not available.

Melting point Not available.

**Initial boiling point and range** Not available.

Flash point Not applicable.

**Evaporation rate** Not applicable.

Upper/lower flammability or

explosive limits

Not applicable.

Vapour pressure Not applicable.

Vapour density Not applicable.

Relative density 2.25

**Solubility(ies)** Partly with: Methanol. Ether. Acetone.

Partition coefficient Not available.

**Auto-ignition temperature** Not available.

**Decomposition Temperature** >150°C

## **Epoxy Stick Metal**

Viscosity

Not applicable.

Explosive properties

Not applicable.

Oxidising properties

Not available.

9.2. Other information

Other information None.

### SECTION 10: Stability and reactivity

### 10.1. Reactivity

**Reactivity** No test data specifically related to reactivity available for this product or its ingredients.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended.

### 10.3. Possibility of hazardous reactions

Possibility of hazardous

Under normal conditions of storage and use, no hazardous reactions will occur.

reactions

10.4. Conditions to avoid

Conditions to avoid Not known.

10.5. Incompatible materials

Materials to avoid None known.

### 10.6. Hazardous decomposition products

Hazardous decomposition Does not decompose when used and stored as recommended. No known hazardous

**products** decomposition products.

## SECTION 11: Toxicological information

## 11.1. Information on toxicological effects

**Skin contact** Causes skin irritation. May cause an allergic skin reaction.

**Eye contact** Causes serious eye irritation.

## SECTION 12: Ecological Information

#### 12.1. Toxicity

**Ecotoxicity** 

## 12.2. Persistence and degradability

Persistence and degradability There are no data on the degradability of this product.

#### 12.3. Bioaccumulative potential

Bioaccumulative potential Low

Partition coefficient Not available.

12.4. Mobility in soil

Mobility Not available

#### 12.5. Results of PBT and vPvB assessment

## **Epoxy Stick Metal**

Results of PBT and vPvB

assessment

This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects Not applicable.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

General information Dispose of waste product or used containers in accordance with local regulations

**Disposal methods**Dispose of waste product or used containers in accordance with local regulations

Waste class 08 04 09 waste adhesives and sealants containing organic solvents or other dangerous

substances.

## SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

#### 14.1. UN number

Not applicable.

### 14.2. UN proper shipping name

Not applicable.

### 14.3. Transport hazard class(es)

No transport warning sign required.

#### 14.4. Packing group

Not applicable.

## 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

#### 14.6. Special precautions for user

Not applicable.

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

### SECTION 15: Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **Epoxy Stick Metal**

## **EU** legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the council of 18 December 2006 concerning the Registration, evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC, including amendments. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

#### SECTION 16: Other information

Revision date 29/10/2014

Revision 1

Supersedes date 20/12/2012

SDS number 4641

Hazard statements in full H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.