


Meet the Bouwlaser Multicross 4D 18V MAX Electronic – the new standard in precision and convenience. This 4D cross line laser projects two bright green horizontal and vertical lines all around, making it perfect for any job. With the included remote control, you can work faster and more efficiently. Powered by 18V battery technology, compatible with all major brands, it offers maximum flexibility on site. Thanks to its motorized leveling, tilt function, and tilt protection, you get exceptional accuracy every time. The second horizontal line, positioned just 20 mm above the floor, makes it ideal for flooring and interior finishing professionals.

Main specifications

Visibility	
Precision	1mm / 10m
Range (with receiver)	2x 70m
Dust- and water resistance	IP54
Batteries	18V LI-ION (not included)
AC power connector	USB-C
Levelling	Motor levelling

Power supply and batteries

Batteries	18V LI-ION (not included)
AC power connector	USB-C
Charger integrated into AC power connector	Not applicable

DxWxH device	145 x 116 x 149 mm
Weight of device	0,5 kg
DxWxH box	155 x 420 x 360 mm
Weight box	3,86 kg

Detailed specifications

Plumb bob	✓
Number of laser dots per line	0
Number of 90° angles	4
Rotations per minute	Not applicable
Scan function	✗
Wind function	✗
Tilt function	✓
Self-levelling range	±3,5°
Slope function	Electronic
Maximum settable slope (X-axis/Y-axis)	+/- 45°
Remote control	Optional
Built-in screw for tripod	1/4" & 5/8"
Pendulum lock (for manual slopes)	Not applicable
Transport security for the pendulum	Not applicable
Number of laser diodes	4
Laser frequency (in receiver mode)	10KHz
Laser class	Class 2, 505nm - 525nm, <1mW
Color of the laser beams	Green
Number of horizontal lines	4
Number of vertical lines	4

Detailed specifications

Dust and water tightness	IP54
--------------------------	------


IN THE BOX



036.4DE



H036.CAS



2X180.20



130.18



H60033

ACCESSORIES

Receivers



150.40.A
Quattro



150.40.M
Quattro MM

Tripods



090.300
Tripod Medium Duty
300cm - 5/8"



092.160
Tripod Light Duty 160cm
- Tilting head - 1/4



092.180
Tripod Light Duty 180cm
- 5/8



092.240
Tripod Light Duty 240cm
- Tilting head - 1/4 & 5/8



100.165
Tripod Aluminium 165cm
- 5/8



100.165.D
Tripod Aluminium Dome
Head 165cm - 5/8



110.330
Tripod Heavy Duty
330cm - 5/8"



110.400
Tripod Heavy Duty
400cm - 5/8



115.11
Slope adapter 5/8



120.330
Telescopic Tripod 330cm
- 5/8

Wall mounts



130.03

Wall mount Precision
5/8"



130.04

Wall mount Heavy Duty
5/8"



130.08

Wall mount with clamp
and magnet 1/4"



130.15

Wall mount with magnet
1/4"

Adapters, chargers and batteries



H036.AEG

18VMAX - Adapter
compatible with AEG



H036.BOS

18VMAX - Adapter
compatible with Bosch



H036.DEW

18VMAX - Adapter
compatible with Dewalt



H036.FES

18VMAX - Adapter
compatible with
FESTOOL



H036.FLE

18VMAX - Adapter
compatible with FLEX



H036.HIK

18VMAX - Adapter
compatible with HIKOKI



H036.MAK

18VMAX - Adapter
compatible with MAKITA



H036.MET

18VMAX - Adapter
compatible with
METABO



H036.MIL

18VMAX - Adapter
compatible with
MILWAUKEE

Other




180.20

Magnetic target plate
green



180.40

Laser Glasses Green



180.50

Target sticker yellow



H036.RCO

18VMAX Electronic -
Remote control